```
RT   "Cloning and expression of murine lymphotoxin cDNA.";
RL   J. Immunol. 138:4496-4501(1987).
RN   [5]
RP   SEQUENCE FROM N.A.
RX   MEDLINE=87252204; PubMed=2885372;
RA   Gardner S.M., Mock B.A., Hilgers J., Huppi K.E., Roeder W.D.;
RT   "Mouse lymphotoxin and tumor necrosis factor: structural analysis of
RT   the cloned genes, physical linkage, and chromosomal position.";
RL   J. Immunol. 139:476-483(1987).
RN   [6]
RP   SEQUENCE FROM N.A.
RA   Rowen L., Qin S., Madan A., Abbasi N., James R., Dickhoff R.,
RA   Shaffer T., Ratcliffe A., Loretz C., Lasky S., Hood L.;
RT   "Sequence of the mouse major histocompatibility class III region.";
RL   Submitted (OCT-1999) to the EMBL/GenBank/DDBJ databases.
RN   [7]
RP   SEQUENCE OF 6-202 FROM N.A.
RX   MEDLINE=89144562; PubMed=3147435;
RA   Weil D., Dautry F.;
RT   "Induction of tumor necrosis factor-alpha and -beta and
RT   interferon-gamma mRNA by interleukin 2 in murine lymphocytic cell
RT   lines.";
RL   Oncogene Res. 3:409-414(1988).
RN   [8]
RP   SEQUENCE OF 56-76 FROM N.A.
RX   MEDLINE=91042516; PubMed=1700275;
RA   Weil D., Brosset S., Dautry F.;
RT   "RNA processing is a limiting step for murine tumor necrosis factor
RT   beta expression in response to interleukin-2.";
RL   Mol. Cell. Biol. 10:5865-5875(1990).
CC   -!- FUNCTION: Cytokine that in its homotrimeric form binds to
CC       TNFRSF1A/TNFR1, TNFRSF1B/TNFBR and TNFRSF14/HVEM. In its
CC       heterotrimeric form with LTB binds to TNFRSF3/LTBR. Lymphotoxin is
CC       produced by lymphocytes and cytotoxic for a wide range of tumor
CC       cells in vitro and in vivo.
CC   -!- SUBUNIT: Homotrimer, and heterotrimer of either two LTB and one
CC       LTA subunits or (less prevalent) two LTA and one LTB subunits (By
CC       similarity).
CC   -!- SUBCELLULAR LOCATION: Secreted (homotrimer) and membrane-
CC       associated (heterotrimers) (By similarity).
CC   -!- SIMILARITY: Belongs to the tumor necrosis factor family.
CC   --------------------------------------------------------------------------
CC   This SWISS-PROT entry is copyright. It is produced through a collaboration
CC   between  the Swiss Institute of Bioinformatics  and the  EMBL outstation -
CC   the European Bioinformatics Institute.  There are no  restrictions on  its
CC   use  by  non-profit  institutions as long  as its content  is  in  no  way
CC   modified and this statement is not removed.  Usage  by  and for commercial
CC   entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC   or send an email to license@isb-sib.ch).
CC   --------------------------------------------------------------------------
DR   EMBL; U06950; AAA18593.1; -.
DR   EMBL; Y00467; CAA68529.1; -.
DR   EMBL; X06217; CAA29566.1; -.
DR   EMBL; X06218; CAA29567.1; -.
DR   EMBL; Y00137; CAA68330.1; -.
DR   EMBL; M16819; AAA40460.1; -.
DR   EMBL; M17015; AAA39450.1; -.
DR   EMBL; AF109719; AAC82485.1; -.
DR   EMBL; X14800; CAA32906.1; -.
DR   EMBL; M60586; AAA40461.1; -.
DR   PIR; B27303; B27303.
DR   HSSP; P01374; 1TNR.
DR   MGD; MGI:104797; Lta.
DR   GO; GO:0006959; P:humoral immune response; IMP.
DR   GO; GO:0007515; P:lymph gland development; IMP.
DR   InterPro; IPR006053; TNF_abc.
DR   InterPro; IPR006052; TNF_family.
DR   InterPro; IPR008983; TNF_like.
DR   InterPro; IPR003636; TNF_subf.
DR   Pfam; PF00229; TNF; 1.
DR   PRINTS; PR01234; TNECROSISFCT.
DR   ProDom; PD002012; TNF_subf; 1.
DR   SMART; SM00207; TNF; 1.
DR   PROSITE; PS00251; TNF_1; 1.
DR   PROSITE; PS50049; TNF_2; 1.
KW   Cytokine; Glycoprotein; Signal.
FT   SIGNAL        1     33
FT   CHAIN        34    202       LYMPHOTOXIN-ALPHA.
FT   CARBOHYD     93     93       N-LINKED (GLCNAC. . .) (POTENTIAL).
FT   CONFLICT     26     26       A -> P (IN REF. 5).
FT   CONFLICT    161    162       VR -> CG (IN REF. 2).
SQ   SEQUENCE   202 AA;  21998 MW;  F496F83C685950D3 CRC64;

  Query Match             13.4%;  Score 204;  DB 1;  Length 202;
  Best Local Similarity   32.5%;  Pred. No. 1.5e-07;
  Matches   51;  Conservative   25;  Mismatches   73;  Indels    8;  Gaps    2;

Qy        133 HPSPPPEKKE--LRKVAHLTGKSNSRSMPLEWEDTYGIVLLSGVKYKKGGLVINETGLYF 190
              || |        |:  ||| |  : ::  |    |    |  |       |:|  :||||
Db         46 HPLPQKHLTHGILKPAAHLVGYPSKQNSLLWRASTDRAFLRHGFSLSNNSLLIPTSGLYF 105

Qy        191 VYSKVYFRGQSCN------NLPLSHKVYMRNSKYPQDLVMMEGKMMSYCTTGQMWARSSY 244
              |||:| | |:||:       : |:|:| : :|:||  : ::  :   |      | || |
Db        106 VYSQVVFSGESCSPRAIPTPIYLAHEVQLFSSQYPFHVPLLSAQKSVYPGLQGPWVRSMY 165

Qy        245 LGAVFNLTSADHLYVNVSELSLVNFEESQTFFGLYKL 281
               |||| |:  | |  :   :| ::|  |  ||| : |
Db        166 QGAVFLLSKGDQLSTHTDGISHLHFSPSSVFFGAFAL 202
```

Page 8

A;Title: Dense Alu clustering and a potential new member of the NFkappaB family within a
A;Reference number: S36152; MUID:93272029; PMID:8499947
A;Accession: S36154
A;Status: nucleic acid sequence not shown; translation not shown
A;Molecule type: DNA
A;Residues: 1-12,'R',14-205 <IRI>
A;Cross-references: EMBL:Z15026; NID:g37211; PIDN:CAA78746.1; PID:g37213
A;Note: the nucleotide sequence was submitted to the EMBL Data Library, August 1992
R;Abraham, L.J.; Du, D.C.; Zahedi, K.; Dawkins, R.L.; Whitehead, A.S.
Immunogenetics 33, 50-53, 1991
A;Title: Haplotypic polymorphisms of the TNFB gene.
A;Reference number: I54482; MUID:91139175; PMID:1671667
A;Accession: I54482
A;Status: translation not shown; translated from GB/EMBL/DDBJ
A;Molecule type: DNA
A;Residues: 1-124,'P',126-205 <RES>
A;Cross-references: GB:M55913; NID:g339742; PIDN:AAB59455.1; PID:g339743
A;Experimental source: ancestral haplotype 57.1
A;Note: 59-Asn was also found (ancestral haplotype 8.1)
R;Gray, P.W.; Aggarwal, B.B.; Benton, C.V.; Bringman, T.S.; Henzel, W.J.; Jarrett, J.A.;
Nature 312, 721-724, 1984
A;Title: Cloning and expression of cDNA for human lymphotoxin, a lymphokine with tumour
A;Reference number: A93350; MUID:85086243; PMID:6334807
A;Accession: A93350
A;Molecule type: mRNA
A;Residues: 1-205 <GRA>
A;Cross-references: GB:X01393; NID:g34444; PIDN:CAA25649.1; PID:g34445
A;Experimental source: lymphoblastoid cell line RPMI-1788
R;Goeddel, D.V.; Aggarwal, B.B.; Gray, P.W.; Leung, D.W.; Nedwin, G.E.; Palladino, M.A.;
Cold Spring Harb. Symp. Quant. Biol. 51, 597-609, 1986
A;Title: Tumor necrosis factors: gene structure and biological activities.
A;Reference number: A32877; MUID:87217059; PMID:3472740
A;Accession: B32877
A;Status: preliminary; not compared with conceptual translation
A;Molecule type: mRNA
A;Residues: 35-205 <GOE>
R;Kobayashi, Y.; Miyamoto, D.; Asada, M.; Obinata, M.; Osawa, T.
J. Biochem. 100, 727-733, 1986
A;Title: Cloning and expression of human lymphotoxin mRNA derived from a human T cell hy
A;Reference number: A91906; MUID:87057135; PMID:3536896
A;Accession: A91906
A;Molecule type: mRNA
A;Residues: 1-59,'N',61-205 <KOB>
A;Cross-references: GB:D00102; NID:g219913; PIDN:BAA00064.1; PID:g219914
A;Note: the authors translated the codon TAT for residue 156 as Thr and ACC for residue
R;Fukuda, S.; Ando, S.; Sanou, O.; Taniai, M.; Fujii, M.; Masaki, N.; Nakamura, K.I.; Ar
Lymphokine Res. 7, 175-185, 1988
A;Title: Simultaneous production of natural human tumor necrosis factor-alpha, -beta and
A;Reference number: A61478; MUID:88301617; PMID:2841543
A;Accession: A61478
A;Molecule type: protein
A;Residues: 56-79;86-95,'X',97,'X',99;119-151,'XX',154-162,'X',164,'X',166,'X',168,'X',1
R;Voigt, C.G.; Maurer-Fogy, I.; Adolf, G.R.
FEBS Lett. 314, 85-88, 1992
A;Title: Natural human tumor necrosis factor beta (lymphotoxin). Variable O-glycosylatic
A;Reference number: S26951; MUID:93083656; PMID:1451807
A;Accession: S26951
A;Molecule type: protein
A;Residues: 35-59,'N',61-205 <VOI>
A;Note: 60-Thr was also found
R;Fukushima, K.; Watanabe, H.; Takeo, K.; Nomura, M.; Asahi, T.; Yamashita, K.
Arch. Biochem. Biophys. 304, 144-153, 1993
A;Title: N-linked sugar chain structure of recombinant human lymphotoxin produced by CHO
A;Reference number: S34742; MUID:93311995; PMID:8323280
A;Contents: annotation
C;Comment: Secreted from mitogen-activated lymphocytes within 1-2 days after induction,
while having no detrimental effect on normal cells. It can also act synergistically wit
C;Comment: This protein and TNF-alpha (tumor necrosis factor) are the products of differ
ical activities but are produced by different cell types and have different induction ki
C;Genetics:
A;Gene: GDB:LTA; LT; TNFB
A;Cross-references: GDB:120442; OMIM:153440
A;Map position: 6p21.3-6p21.3
A;Introns: 33/3; 69/1
A;Note: the first intron occurs before the initiator codon
C;Superfamily: tumor necrosis factor
C;Keywords: cytokine; cytotoxin; glycoprotein; homotrimer; lymphokine; macrophage
F;1-34/Domain: signal sequence #status predicted <SIG>
F;35-205/Product: lymphotoxin #status predicted <MAT>
F;41/Binding site: carbohydrate (Thr) (covalent) (partial) #status experimental
F;96/Binding site: carbohydrate (Asn) (covalent) #status experimental

Query Match 12.5%; Score 191; DB 1; Length 205;
Best Local Similarity 27.4%; Pred. No. 4.4e-07;
Matches 57; Conservative 33; Mismatches 90; Indels 28; Gaps 4;

```
Qy         81 LCLLVMFFMVLVALVGL-GLGMFQLFHLQKELAELRESTSQMHTASSLEKQIGHPSPPPE 139
              | || :  ::|   || |:|    |  |:     :|| | |
Db         19 LLLLGLLLVLLPGAQGLPGVG------LTPSAAQTARQHPKMHLAHS------------ 59

Qy        140 KKELRKVAHLTGKSNSRSMPLEWEDTYGIVLLSGVKYKKGGLVINETGLYFVYSKVYFRG 199
                |:  ||| |  : ::  |   :|   |  |      |::  :|:|||||:| | |
Db         60 --TLKPAAHLIGDPSKQNSLLWRANTDRAFLQDGFSLSNNSLLVPTSGIYFVYSQVVFSG 117

Qy        200 Q------SCNNLPLSHKVYMRNSKYPQDLVMMEGKMMSYCTTGQMWARSSYLGAVFNLTS 253
              :      : : | |:|:|  : :|:||   : ::  : | |     :|  | | || | ||
Db        118 KAYSPKATSSPLYLAHEVQLFSSQYPFHVPLLSSQKMVYPGLQEPWLHSMYHGAAFQLTQ 177

Qy        254 ADHLYVNVSELSLVNFEESQTFFGLYKL 281
              | |  :   :  :    |  ||| : |
Db        178 GDQLSTHTDGIPHLVLSPSTVFFGAFAL 205
```

RESULT 8
JQ1344
tumor necrosis factor alpha precursor - horse
N;Alternate names: cachectin; TNF alpha
C;Species: Equus caballus (domestic horse)
C;Date: 10-Sep-1999 #sequence_revision 10-Sep-1999 #text_change 04-Feb-2000
C;Accession: JQ1344
R;Su, X.; Morris, D.D.; McGraw, R.A.
Gene 107, 319-321, 1991
A;Title: Cloning and characterization of gene TNF alpha encoding equine tumor necrosis fa
A;Reference number: JQ1344; MUID:92084125; PMID:1748301
A;Accession: JQ1344
A;Molecule type: DNA
A;Residues: 1-234 <SUX>
A;Cross-references: GB:M64087; NID:g164244; PIDN:AAA30959.1; PID:g164245
C;Comment: This protein is an important proximal mediator of endotoxemia.
C;Genetics:
A;Gene: TNF-alpha
A;Introns: 62/3; 79/1; 95/1
C;Superfamily: tumor necrosis factor
C;Keywords: cytokine; cytotoxin; glycoprotein; lipoprotein; lymphokine; macrophage; membr
F;78-234/Product: tumor necrosis factor alpha #status predicted <TUM>
F;19,20/Binding site: myristate (Lys) (covalent) #status predicted
F;82/Binding site: carbohydrate (Ser) (covalent) #status predicted
F;146-178/Disulfide bonds: #status predicted

Query Match 12.2%; Score 186.5; DB 1; Length 234;
Best Local Similarity 27.2%; Pred. No. 1.1e-06;
Matches 62; Conservative 36; Mismatches 99; Indels 31; Gaps 10;

```
Qy         72 KKRGNHSTGLCLLVMFFMVLVALVGLGLGMFQLFHL-------QKELAELRESTSQMHTA 124
              |  |   :  || :  |  |  ||     :| | |        :::|    :| : :  |
Db         20 KAGGPQGSRRCLCLSLFSFL--LVAGATTLFCLLHFGVIGPQREEQLPNAFQSINPL--A 75

Qy        125 SSLEKQIGHPSPPPEKKELRKVAHLTGKSNSRSMPLEW-EDTYGIVLLSGVKYKKGGLVI 183
               :|      ||  |       |||:     :    |:|       :| :|||     ||:
Db         76 QTLRSSSRTPSDKP-------VAHVVANPQAEGQ-LQWLSGRANALLANGVKLTDNQLVV 127

Qy        184 NETGLYFVYSKVYFRGQSC--NNLPLSHKVYMRNSKYPQDLVMMEGKMMSYCTT------ 235
                 ||| :||:| |:|| |  :: |:| :      ||  : ::   : | | |
Db        128 PLDGLYLIYSQVLFKGQGCPSTHVLLTHTISRLAVSYPSKVNLLSA-IKSPCHTESPEQA 186

Qy        236 -GQMWARSSYLGAVFNLTSADHLYVNVSELSLVNFEES-QTFFGLYKL 281
                : |    ||| || |   | |   ::: : ::| || | :||:  |
Db        187 EAKPWYEPIYLGGVFQLEKGDQLSAEINQPNYLDFAESGQVYFGIIAL 234
```

; Sequence 6, Application US/09027287A
; Patent No. US20020064869A1
; GENERAL INFORMATION:
; APPLICANT: Ebner, Reinhard
; APPLICANT: Yu, Guo-Liang
; APPLICANT: Ruben, Steven M.
; APPLICANT: Ullrich, Stephen
; TITLE OF INVENTION: Apoptosis Inducing Molecule II
; FILE REFERENCE: 1488.0650004
; CURRENT APPLICATION NUMBER: US/09/027,287A
; CURRENT FILING DATE: 1998-02-20
; EARLIER APPLICATION NUMBER: US 09/003,886
; EARLIER FILING DATE: 1998-01-07
; EARLIER APPLICATION NUMBER: US 08/822,953
; EARLIER FILING DATE: 1997-03-21
; EARLIER APPLICATION NUMBER: US 60/030,157
; EARLIER FILING DATE: 1996-10-31
; EARLIER APPLICATION NUMBER: US 60/013,923
; EARLIER FILING DATE: 1996-03-22
; NUMBER OF SEQ ID NOS: 55
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 6
; LENGTH: 281
; TYPE: PRT
; ORGANISM: Homo sapiens
US-09-027-287-6

Query Match 99.2%; Score 1492; DB 9; Length 281;
Best Local Similarity 98.6%; Pred. No. 2.3e-105;
Matches 277; Conservative 0; Mismatches 0; Indels 4; Gaps 1;

```
Qy          1 MQQPFNYPYPQIYWVDSSASSPWAPPGTVLPCPTSVPRRPGQRRPPPPPPPPPLPPPPPP 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 MQQPFNYPYPQIYWVDSSASSPWAPPGTVLPCPTSVPRRPGQRRPPPPPPPPPLPPPPPP 60

Qy         61 PPLPPLPLPPLKKRGNHSTGLCLLVMFFMVLVALVGLGLGMFQLFHLQKELAELRESTSQ 120
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         61 PPLPPLPLPPLKKRGNHSTGLCLLVMFFMVLVALVGLGLGMFQLFHLQKELAELRESTSQ 120

Qy        121 MHTASSL----GHPSPPPEKKELRKVAHLTGKSNSRSMPLEWEDTYGIVLLSGVKYKKGG 176
              |||||||    ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db        121 MHTASSLEKQIGHPSPPPEKKELRKVAHLTGKSNSRSMPLEWEDTYGIVLLSGVKYKKGG 180

Qy        177 LVINETGLYFVYSKVYFRGQSCNNLPLSHKVYMRNSKYPQDLVMMEGKMMSYCTTGQMWA 236
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db        181 LVINETGLYFVYSKVYFRGQSCNNLPLSHKVYMRNSKYPQDLVMMEGKMMSYCTTGQMWA 240

Qy        237 RSSYLGAVFNLTSADHLYVNVSELSLVNFEESQTFFGLYKL 277
              |||||||||||||||||||||||||||||||||||||||||
Db        241 RSSYLGAVFNLTSADHLYVNVSELSLVNFEESQTFFGLYKL 281
```

RESULT 5
US-09-252-656B-6
; Sequence 6, Application US/09252656B
; Patent No. US20020081647A1
; GENERAL INFORMATION:
; APPLICANT: Ebner, Reinhard
; APPLICANT: Yu, Guo-Liang
; APPLICANT: Ruben, Steven M.
; APPLICANT: Zhang, Jun
; APPLICANT: Ullrich, Stephen
; APPLICANT: Zhai, Yifan
; TITLE OF INVENTION: Apoptosis Inducing Molecule II and Methods of Use
; FILE REFERENCE: 1488.0650006
; CURRENT APPLICATION NUMBER: US/09/252,656B
; CURRENT FILING DATE: 1999-02-19
; PRIOR APPLICATION NUMBER: US 60/075,409
; PRIOR FILING DATE: 1998-02-20
; PRIOR APPLICATION NUMBER: US 09/027,287
; PRIOR FILING DATE: 1998-02-20
; PRIOR APPLICATION NUMBER: US 09/003,886
; PRIOR FILING DATE: 1998-01-07
; PRIOR APPLICATION NUMBER: US 08/822,953
; PRIOR FILING DATE: 1997-03-21
; PRIOR APPLICATION NUMBER: US 60/013,923
; PRIOR FILING DATE: 1996-03-22
; PRIOR APPLICATION NUMBER: US 60/030,157
; PRIOR FILING DATE: 1996-10-31
; NUMBER OF SEQ ID NOS: 61
; SOFTWARE: PatentIn version 3.1
; SEQ ID NO 6
; LENGTH: 281
; TYPE: PRT
; ORGANISM: Homo sapiens
US-09-252-656B-6

Query Match 99.2%; Score 1492; DB 9; Length 281;
Best Local Similarity 98.6%; Pred. No. 2.3e-105;
Matches 277; Conservative 0; Mismatches 0; Indels 4; Gaps 1;

```
Qy          1 MQQPFNYPYPQIYWVDSSASSPWAPPGTVLPCPTSVPRRPGQRRPPPPPPPPPLPPPPPP 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 MQQPFNYPYPQIYWVDSSASSPWAPPGTVLPCPTSVPRRPGQRRPPPPPPPPPLPPPPPP 60

Qy         61 PPLPPLPLPPLKKRGNHSTGLCLLVMFFMVLVALVGLGLGMFQLFHLQKELAELRESTSQ 120
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         61 PPLPPLPLPPLKKRGNHSTGLCLLVMFFMVLVALVGLGLGMFQLFHLQKELAELRESTSQ 120

Qy        121 MHTASSL----GHPSPPPEKKELRKVAHLTGKSNSRSMPLEWEDTYGIVLLSGVKYKKGG 176
              |||||||    ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db        121 MHTASSLEKQIGHPSPPPEKKELRKVAHLTGKSNSRSMPLEWEDTYGIVLLSGVKYKKGG 180

Qy        177 LVINETGLYFVYSKVYFRGQSCNNLPLSHKVYMRNSKYPQDLVMMEGKMMSYCTTGQMWA 236
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db        181 LVINETGLYFVYSKVYFRGQSCNNLPLSHKVYMRNSKYPQDLVMMEGKMMSYCTTGQMWA 240

Qy        237 RSSYLGAVFNLTSADHLYVNVSELSLVNFEESQTFFGLYKL 277
              |||||||||||||||||||||||||||||||||||||||||
Db        241 RSSYLGAVFNLTSADHLYVNVSELSLVNFEESQTFFGLYKL 281
```

Page 10

```
RESULT 4
US-09-027-287-6
; Sequence 6, Application US/09027287A
; Patent No. US20020064869A1
; GENERAL INFORMATION:
;  APPLICANT: Ebner, Reinhard
;  APPLICANT: Yu, Guo-Liang
;  APPLICANT: Ruben, Steven M.
;  APPLICANT: Ullrich, Stephen
;  TITLE OF INVENTION: Apoptosis Inducing Molecule II
;  FILE REFERENCE: 1488.0650004
;  CURRENT APPLICATION NUMBER: US/09/027,287A
;  CURRENT FILING DATE: 1998-02-20
;  EARLIER APPLICATION NUMBER: US 09/003,886
;  EARLIER FILING DATE: 1998-01-07
;  EARLIER APPLICATION NUMBER: US 08/822,953
;  EARLIER FILING DATE: 1997-03-21
;  EARLIER APPLICATION NUMBER: US 60/030,157
;  EARLIER FILING DATE: 1996-10-31
;  EARLIER APPLICATION NUMBER: US 60/013,923
;  EARLIER FILING DATE: 1996-03-22
;  NUMBER OF SEQ ID NOS: 55
;  SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 6
;   LENGTH: 281
;   TYPE: PRT
;   ORGANISM: Homo sapiens
US-09-027-287-6

  Query Match             98.5%;  Score 1389.5;  DB 9;  Length 281;
  Best Local Similarity   91.8%;  Pred. No. 3.6e-98;
  Matches  258;  Conservative    0;  Mismatches    0;  Indels   23;  Gaps    1;

Qy          1 MQQPFNYPYPQIYWVDSSASSPWAPPGTVLPCPTSVPRRPGQRRPPPPPPPPPLPPPPPP 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 MQQPFNYPYPQIYWVDSSASSPWAPPGTVLPCPTSVPRRPGQRRPPPPPPPPPLPPPPPP 60

Qy         61 PPLPPLPLPPLKKRGNHSTGLCLLVMFPMVLVALVGLGLGMFQLFHLQKE---------- 110
              ||||||||||||||||||||||||||||||||||||||||||||||||||
Db         61 PPLPPLPLPPLKKRGNHSTGLCLLVMFPMVLVALVGLGLGMFQLFHLQKELAELRESTSQ 120

Qy        111 ------------PSPPPEKKELRKVAHLTGKSNSRSMPLEWEDTYGIVLLSGVKYKKGG 157
                          ||||||||||||||||||||||||||||||||||||||||||||||
Db        121 MHTASSLEKQIGHPSPPPEKKELRKVAHLTGKSNSRSMPLEWEDTYGIVLLSGVKYKKGG 180

Qy        158 LVINETGLYFVYSKVYFRGQSCNNLPLSHKVYMRNSKYPQDLVMMEGKMMSYCTTGQMWA 217
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db        181 LVINETGLYFVYSKVYFRGQSCNNLPLSHKVYMRNSKYPQDLVMMEGKMMSYCTTGQMWA 240

Qy        218 RSSYLGAVFNLTSADHLYVNVSELSLVNFEESQTFFGLYKL 258
              |||||||||||||||||||||||||||||||||||||||||
Db        241 RSSYLGAVFNLTSADHLYVNVSELSLVNFEESQTFFGLYKL 281


RESULT 5
US-09-252-656B-6
; Sequence 6, Application US/09252656B
; Patent No. US20020081647A1
; GENERAL INFORMATION:
;  APPLICANT: Ebner, Reinhard
;  APPLICANT:  Yu, Guo-Liang
;  APPLICANT:  Ruben, Steven M.
;  APPLICANT:  Zhang, Jun
;  APPLICANT:  Ullrich, Stephen
;  APPLICANT:  Zhai, Yifan
;  TITLE OF INVENTION: Apoptosis Inducing Molecule II and Methods of Use
;  FILE REFERENCE: 1488.0650006
;  CURRENT APPLICATION NUMBER: US/09/252,656B
;  CURRENT FILING DATE:  1999-02-19
;  PRIOR APPLICATION NUMBER: US 60/075,409
;  PRIOR FILING DATE: 1998-02-20
;  PRIOR APPLICATION NUMBER: US 09/027,287
;  PRIOR FILING DATE: 1998-02-20
;  PRIOR APPLICATION NUMBER: US 09/003,886
;  PRIOR FILING DATE: 1998-01-07
;  PRIOR APPLICATION NUMBER: US 08/822,953
;  PRIOR FILING DATE: 1997-03-21
;  PRIOR APPLICATION NUMBER: US 60/013,923
;  PRIOR FILING DATE: 1996-03-22
;  PRIOR APPLICATION NUMBER: US 60/030,157
;  PRIOR FILING DATE: 1996-10-31
;  NUMBER OF SEQ ID NOS: 61
;  SOFTWARE: PatentIn version 3.1
; SEQ ID NO 6
;   LENGTH: 281
;   TYPE: PRT
;   ORGANISM: Homo sapiens
US-09-252-656B-6

  Query Match             98.5%;  Score 1389.5;  DB 9;  Length 281;
  Best Local Similarity   91.8%;  Pred. No. 3.6e-98;
  Matches  258;  Conservative    0;  Mismatches    0;  Indels   23;  Gaps    1;
```

```
Qy          1 MQQPFNYPYPQIYWVDSSASSPWAPPGTVLPCPTSVPRRPGQRRPPPPPPPPPLPPPPPP 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 MQQPFNYPYPQIYWVDSSASSPWAPPGTVLPCPTSVPRRPGQRRPPPPPPPPPLPPPPPP 60

Qy         61 PPLPPLPLPPLKKRGNHSTGLCLLVMFPMVLVALVGLGLGMFQLFHLQKE---------- 110
              ||||||||||||||||||||||||||||||||||||||||||||||||||
Db         61 PPLPPLPLPPLKKRGNHSTGLCLLVMFPMVLVALVGLGLGMFQLFHLQKELAELRESTSQ 120

Qy        111 ------------PSPPPEKKELRKVAHLTGKSNSRSMPLEWEDTYGIVLLSGVKYKKGG 157
                          ||||||||||||||||||||||||||||||||||||||||||||||
Db        121 MHTASSLEKQIGHPSPPPEKKELRKVAHLTGKSNSRSMPLEWEDTYGIVLLSGVKYKKGG 180

Qy        158 LVINETGLYFVYSKVYFRGQSCNNLPLSHKVYMRNSKYPQDLVMMEGKMMSYCTTGQMWA 217
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db        181 LVINETGLYFVYSKVYFRGQSCNNLPLSHKVYMRNSKYPQDLVMMEGKMMSYCTTGQMWA 240

Qy        218 RSSYLGAVFNLTSADHLYVNVSELSLVNFEESQTFFGLYKL 258
              |||||||||||||||||||||||||||||||||||||||||
Db        241 RSSYLGAVFNLTSADHLYVNVSELSLVNFEESQTFFGLYKL 281
```

Page 11